



**File Name:** canon hf m52 user manual.pdf  
**Size:** 3225 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 15 May 2019, 13:27 PM  
**Rating:** 4.6/5 from 665 votes.

**Status:** AVAILABLE

Last checked: 11 Minutes ago!

**In order to read or download canon hf m52 user manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

- [Register a free 1 month Trial Account.](#)
- [Download as many books as you like \(Personal use\)](#)
- [Cancel the membership at any time if not satisfied.](#)
- [Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon hf m52 user manual . To get started finding canon hf m52 user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# canon hf m52 user manual

Note Please use Adobe Reader 6.0 or later to browse this PDF file. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Tel 848 38200 466 Tel 848 38200 466. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. The Equipment is warranted under normal, noncommercial, personal use, against defective materials or workmanship as follows Parts Defective parts will be exchanged for new parts or comparable rebuilt parts for a period of ONE YEAR from the date of original purchase, except for a defective Video Head, which will be exchanged for a period of three months from the date of purchase. Labor For a period of ONE YEAR from the date of original purchase, labor will be provided free of charge by our factory service centers or designated service facilities located in the United

States. [http://senecaconsulting.com/7strategy/multichem/assets/fck\\_upload\\_files/image/hyosung-5000ce-manual.xml](http://senecaconsulting.com/7strategy/multichem/assets/fck_upload_files/image/hyosung-5000ce-manual.xml)

- **1.0.**

When returning Equipment under this warranty, you must prepay the shipping charges, and you must enclose the Bill of Sale or other proof of purchase with a complete explanation of the problem. During the ONE YEAR warranty period, repairs will be made and the Equipment will be returnshipped to you free of charge. For repairs after the warranty period is over, you will be given an estimate of the cost of repair and an opportunity to approve or disapprove of the repair expense before it is incurred. If you approve, repairs will be made and the Equipment will be returnshipped to you. shipping charges apply. If you disapprove, we will returnship the equipment at no charge to you. Canon brand peripheral equipment and software which may be distributed with, or factory loaded on, the Equipment, are sold AS IS without warranty of any kind by Canon USA, including any implied warranty regarding merchantability or fitness for a particular purpose. The sole warranty with respect to such nonCanon brand items is given by the manufacturer or producer thereof. If the Equipment contains a hard disk drive, Canon USA recommends that data stored on that drive be duplicated or backed up to prevent its loss in the event of failure or other malfunction of such drive. Canon USA shall have no responsibility under this limited warranty for use of the Equipment in conjunction with incompatible peripheral equipment and incompatible software. In order to obtain warranty service, contact the authorized Canon retail dealer from whom you purchased the Equipment or call the CANON INFORMATION CENTER AT 1 — 800OKCANON. You will be directed to the nearest service facility for your Equipment. <https://ecatts.com/userfiles/hyosung-aquila-gv250-service-manual.xml>

This Limited Warranty covers all defects encountered in normal use of the Equipment and does not

apply in the following cases Loss or damage to the Equipment due to abuse, mishandling, accident, improper maintenance, or failure to follow operating instructions; If the Equipment is defective as a result of leaking batteries, sand, dirt or water damage; If defects or damages are caused by the use of unauthorized parts or by service other than by Canon USAs factory service centers or authorized service facilities; This Limited Warranty does not cover cabinet exterior finish, video cassette tape, head cleanings, nor does it apply to Equipment purchased outside the United States. This warranty does not cover units sold to rental firms, military operations, hotels, schools, hospitals or for other commercial, industrial, or institutional applications. These uses are covered only by such specific warranty as Canon may issue with such sales. This Limited Warranty does not apply to accessories or consumables for the Equipment, which are sold "AS IS", without warranty of any kind by Canon USA. Please retain this warranty card and your Bill of Sale as a permanent record of your purchase. This card is most important in order to be sure you are contacted right away should there be a safety inspection, modification or product recall under applicable laws or regulations. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store This case can be conveniently carried by hand or via the comfortable shoulder strap, providing convenient handsfree protection. It is ideal for controlling various camcorder functions when used on a tripod. Using the Canon VL5 Video Light on the VIXIA HF10 and VIXIA HF100 camcorders requires a firmware update. No additional power or wires are needed for its operation. With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product.

With a CarePAK PLUS, a damaged product will be repaired to good working condition or replaced with an equivalent product. Engineered, built and rated to work at depths to 130ft 40m under water. COPYRIGHT WARNING Unauthorized recording of copyrighted materials may infringe on the rights of copyright owners and be contrary to copyright laws. The Mains plug is used as the disconnect device. Read these instructions. Keep these instructions. Heed all warnings. You get spectacular recordings every time without worrying about settings. Video Snapshot A 71 Shoot or capture short scenes and arrange them into a video clip set to your favorite background music. LAN cable Join a WiFi Transfer your recordings network by first wirelessly from the connecting to an camcorder to a computer or. Please read this manual carefully before you use the camcorder and retain it for future reference. Should your camcorder fail to operate correctly, refer to Troubleshooting A 203. The operating mode icons are divided into three groups the first three icons represent the camera mode, the second three icons represent the recording standard, and the last two represent playback modes. Getting Started Charging the Battery Pack The camcorder can be powered with a battery pack or directly using the compact power adapter. You can also attach the wrist strap to the strap mount on the grip belt to use both for extra convenience and protection. Rotating the LCD panel 180 degrees can be useful to allow the camcorder to include yourself in the picture when recording with the self timer. With the intuitive touch screen interface you have all the controls at your fingertips. HOME Menu Operating modes The HOME menu is the gateway to most of the camcorders functions and settings. Available only in recording mode. For details on how to set the camera mode, refer to Recording A 31. Great for beginners or if you just AUTO mode prefer not to bother with detailed camcorder settings.

Enjoy full access to menus, settings and advanced functions A 89. Manual mode Give your recordings a cinematic look and use cinemalook filters to create unique movies A 70. You can set it to one of 27 languages. Operating modes 1 Press 2 Select the desired language. The default setting is New York. For the latest information on cards that can be used, visit your local Canon Web site. To use the wireless controller, first perform the following procedure to turn on the cam corders remote sensor. To enjoy full access to menus and more advanced functions, refer to Recording in Manual Mode A 89. Touch anywhere within the T area to zoom out or anywhere within the S area to zoom in. For details about basic video shooting, refer to AUTO Mode A 45. Basic Playback Playing Back Video

You can use the s display the recording date and other information, for AVCHD movies when you play back videos A 66. Jump to the beginning of the scene. For MP4 movies, the data code is the date of recording. You can choose the information to be displayed. In this mode you can also use a variety of professional cinematic filters to create unique movies with a distinctive appearance. Operating modes 1 Press 2 Set the camcorder to. You can also drag some animated stamps to a different location. Make sure that the image you want to use has a blue or green area, which will be replaced by the live video using Chroma Key mixing. You can then select multiple scenes with the same rating, for example, in order to play back or copy only your favorite scenes. Rating Scenes Immediately After Recording Operating modes 1 Press 2 Activate the scene rating function. You can use one of the supplied music tracks or connect an external audio player to use your favorite songs as background music. Operating modes Using One of the Supplied Music Tracks as Background Music The supplied VIXIA CDROM contains 3 music tracks you can use as background music.

You can set your favorite scene as the thumb nail that will represent the story in the gallery. Operating modes 1 Open the gallery. Even in this mode, though, the camcorder can help you with the settings. For example, by using Special Scene recording programs A 95. Selecting the Video Quality Recording Mode The camcorder offers 5 recording modes for recording AVCHD movies and 2 for MP4 movies. AVCHD movies recorded using other recording modes are recorded in 1,440 x 1,080 resolution. MP4 movies are recorded in 1,280 x 720 resolution. Operating modes 1 Press 2 Select the frame rate. Select the image stabilization mode according to the shooting conditions. Operating modes 1 Press 2 Select the IS mode. The main subject is indicated by a white face detection frame and the camcorder will optimize the settings for that person. You have the option to activate the fader only one time or every time you start or stop recording. Select one of the other AE recording programs to control the shutter speed or aperture. To correct this, you can adjust the exposure manually or use the Touch AE function to automatically set the optimal exposure for the subject you select. The focusing distance will be displayed for about 2 seconds. The camcorder will retain the custom white balance even if you turn it off. You can select from two levels or turn off the auto wind screen. When p audio level indicators will appear, the top one for the builtin microphone, and the bottom one for the external audio. To adjust the volume during playback mode, and in the headphones volume the same way you adjust the speaker's volume A 56, 136. For details about optional accessories available for use with your camcorder, refer to Accessories A 229. For details about how to attach and use the accessories, refer also to the instruction manual of the accessory used. In such case, we recommend using an external microphone.

Operating modes Using the SMV1 Surround Microphone or DM100 Directional Stereo Microphone Using the SMV1 you can add a sense of depth and presence to your recordings with 5.1ch surround sound. You can also mix and record audio from the WMV1 with audio from the builtin microphone. For details about using the WMV1, refer to the instruction manual supplied with the microphone. The camcorder captures the video snapshot scene for about 4 seconds the blue frame serves as a visual progress bar, and then enters playback pause mode. Operating modes 1 Play back the scene you want to divide. 2 Pause the playback at the point where you want to divide the scene. Move the zoom lever toward T to show 15 photos per page;. Failing to do so may result in permanent data loss. Do not open the memory card slot cover. Do not disconnect the power source or turn off the camcorder. Do not change the camcorder's operating mode. Some photos will be deleted nevertheless. Music tracks Steps 3 and 4 A 82. External audio Steps 4 5 A 84. Connection ! Type Digital Quality High definition Output only Connect to a highdefinition TV HDTV with an HDMI input terminal. For details, refer to the Software Guide PDF file of the supplied PIXELAs software. Playback on an HDTV using the HDMI OUT terminal will ensure the best playback quality. Operating modes 1 Turn off the camcorder and the TV. 2 Connect the camcorder to the TV. Scenes and photos will be copied from the index screen or from a story in the gallery in the builtin memory to the same index screen or story on the memory card. Copying Scenes from a Story by Rating Operating modes

1 Open the gallery and bring the desired story to the front. Failing to do so may result in permanent data loss. Do not open the memory card slot cover. Do not disconnect the power source or turn off the camcorder. Do not change the camcorder's operating mode. Installation Install the software before you connect the camcorder to the computer for the first time.

The main system requirements are as follows. You can also use the camcorder to play back your recordings directly from the hard drive. Do not disconnect the power source or turn off the camcorder until the initialization is completed. 2 Press T to set the camcorder to playback mode. 3 Connect the camcorder to the external hard drive using the optional UA100 USB Adapter. Refer to Connection Diagrams A 140. Refer to the Startup Guide supplied leaflet and follow the instructions in the Software Guide PDF file to install the supplied PIXELA's software. Failing to do so may result in permanent data loss. Do not open the memory card slot cover. Introduction to WiFi The camcorders WiFi functions allow you to send files wirelessly, which means that you will not need to fuss with cables. Use this connection type if you plan to upload videos to YouTube and Facebook on the go A 174. WiFi connection Connect the camcorder to an access point on a WiFi network A 165. Use this connection if you plan to play back videos on a DLNA-compatible TV A 178 connected to the network using a LAN cable. If your wireless router supports WiFi Protected Setup WPS, setup will be easy and require minimal configuring. Refer to WiFi Protected Setup below. If your wireless router does not support WPS or you wish to manually configure settings, refer to Manual Setup A 168. If your wireless router has a WPS button, setup will be easy and all automatic. Some wireless routers that support WPS do not have a dedicated button but use a PIN code instead. Select the same index key of the access point. You will need to enter the IP address, port, user name, password and file transfer destination as part of the manual setup. Operating modes File Transfer Destination Setup for Windows Computers 1 Power the camcorder using the compact power adapter. Once connected, or if only one connection point has been set up, the wireless upload will begin automatically.

In such case, the camcorder acts as a digital media server DMS and the HDTV acts as a digital media player DMP. In such case, try the following. Remove any objects between the camcorder and wireless access point that may interfere with the wireless signal. Move the camcorder closer to the wireless access point. Turn off the wireless functions of other wireless devices other than the DLNA-compatible device being used for playback. The documentation for your wireless router may also contain a glossary you can refer to. Access point A wireless access point WAP is a device that allows wireless devices, like your camcorder, to connect to a wired network including to the Internet using the WiFi standard. Appendix Menu Options Lists Menu items not available appear grayed out. For details about how to select an item, refer to Using the Menus A 28. For details about each function, see the reference page. By changing this setting, you can change the shortcut, which will allow you to access one of your frequently used functions quickly and conveniently. Consult your dealer or a Canon Service Center if the problem persists. Consult a Canon Service Center. If the camcorder becomes unusually hot or it becomes hot after using it only for a short while, it may indicate a problem with the camcorder. Consult a Canon Service Center. Save your recordings A 146 and initialize the memory card A 41. Use a different battery pack. Charging has stopped because the compact power adapter or the battery pack is faulty. Change the position of the LOCK switch. Activate the microphone attenuator A 188 or adjust the audio recording level manually A 118. There are brief stops in the sound recorded with the optional WMV1 Wireless Microphone. Set the camcorder to playback mode or remove the WMV1. Try using a card reader to transfer the photos on the memory card. Continue using this battery pack You attached a battery pack that is not recommended by Canon for use with this camcorder.

If you are using a battery pack recommended by Canon for use with this camcorder, there may be a problem with the camcorder or battery pack. Check the memory card and make sure it is inserted correctly. A memory card error occurred. The camcorder cannot record or display the image. Try

removing and reinserting the memory card, or use a different memory card. You inserted a MultiMedia Card MMC into the camcorder. Replace the memory card with one rated SD Speed Class 2, 4, 6 or 10. Delete some scenes A 60 to free some space. Number of stories already at maximum. The gallery already contains the maximum number of stories 98 stories in any one given memory. Task in progress. Do not disconnect the power source. The camcorder is updating the memory. Wait until the operation ends and do not disconnect the compact power adapter or remove the battery pack. After a short while, turn them on again and try to send the data again. If the problem persists contact a Canon Service Center. Additional Information. The encryption key is case sensitive so make sure to enter it correctly. The port number is usually 21 so make sure both the camcorder and FTP server are configured with this setting. After a short while, turn it on again. Unable to complete WPS. Turn off the camcorder and wireless router. After a short while, turn them on again and try again. After a short while, turn them on again and perform the WiFi network setup again. Additional Information. This will protect your important recordings in case of damage and create more free space on the memory. Be careful when closing the LCD panel. Data may be corrupted or lost due to memory card defects or exposure to static electricity. Canon shall not be liable for lost or corrupted data. Consult a Canon Service Center for information on plug adapters for overseas use. This product is designed to achieve excellent performance when used with genuine Canon accessories.

**Charging, Recording and Playback Times** The charging times given in the following table are approximate and vary according to charging conditions and initial charge of the battery pack. Additional Information Recording Recording. It can be used as directional microphone monaural or stereo microphone. A h VL5 Video Light This video light enables you to record brightly in color even in dark places. This mark identifies genuine Canon video accessories. When you use Canon video equipment, we recommend Canon brand accessories or products bearing the same mark. Canon engineered wideangle lens, extensive manual controls and. "The LEGRIA HF R406 video camera is ideal for those looking to step up. Pack more into the scene wide angle Canon HD Video Lens. 30.4mm. Full manual control, lens focus ring and customisable control dial. LEGRIA HF R406. Unless specified otherwise in this service manual, clean electrical contacts. Best results of vivid and sharp videos can be achieved effortlessly with no manual setting. Pack more into the scene wide angle Canon HD Video. Lens 30.4mm. Full manual control, lens focus ring and customisable. LEGRIA HF R406. LEGRIA. Canon LEGRIA HF R706 High Definition Camcorder Black 32x Optical Zoom, 1140x Digital Zoom 3Inch OLED Touchscreen. The LEGRIA HF R406 records Full HD movies direct to an SDXC memory card. Specifications of Canon Legria HF R406 Black. Focusing System, AF, Face Priority AF, Touch Focus, Manual Focus. Shop Canon LEGRIA HF R406 Camcorders Black online. The Canon LEGRIA HF R406 digital video camera is ideal for beginners and enthusiasts looking to capture everyday moments in. Black Rapid SnapR 20 Bag. Buy Canon Legria HF R406 Online For Rs.21495, Also get Canon Legria HF R406 Specifications. WiFi connectivity and full manual controls but lacks the XLR inputs and builtin. Budget HD camcorder Panasonic HCV210 or Canon Legria HF R406. Canon LEGRIA HF R406 Video Camera specifications, price, review. Canon Video.

White balance auto, preset manual installation; Recording formats 720p. 264 of 264. Compare Bmw x5 e53 service manual canon price and read Bmw x5 e53 service manual. Canon Legria HF R406 Camcorder. Canon V75Hi Hi8 Camcorder Original Instruction Manual V75 Hi. Please read this manual carefully before you use. Camcorder LEGRIA HF R406, Canon, 8155B023, Capture Full HD movies without ever worrying about camera shake with the LEGRIA HF R406, Get closer with. 8155B017AA, Canon Legria HF R406 Digital Camcorder, Black, Full HD. Canon HD Video lens with 53x Advanced zoom; Full HD. LEGRIA HF R406. LEGRIA. MANUAL Touchscreen LCD, Touch Focus. Manuals and User Guides for Canon LEGRIA HF R406. We have 2 Canon LEGRIA HF R406 manuals available for free PDF download Instruction Manual. Canon LEGRIA HF R406 Full HD High Definition Camcorder Black in Cameras. Tags calculator user manuals for download, canon products

user manuals for download. Read 339 reviews and find the lowest price for the Canon Legria HF R406. Overall, this Camcorder is rated. With manual white balance you can choose the most accurate setting and avoid the green, blue or.. Full HD sem se preocupar com a trepidacao da camara com a LEGRIA HF R406. Canon Legria HF R406 Kit. Capture Full HD movies without ever worrying about camera shake with the LEGRIA HF R406. The app also provides access to the printer manual and information on. Canonengineered wideangle lens, extensive manual controls and exceptional. I have this Canon Legria HF R406 that I use to record the. I couldnt find that info in the manual, but I dont like the 50i restriction lotsa stripes. Results 1 25 of 34. AC Adapter Power Cord Charger for Canon LEGRIA HF M52 M56 M60 M506 R26 R27. Color Filter Primary RGB Color Filter; Auto Focus, Manual Focus; Other Lens Features Lens 53x Advanced Zoom, Digital Zoom. MANUAL Touchscreen LCD, Touch Focus. Download 0301489901. Release date 28 November 2014.

Camera Video Canon Legria HF R406, FullHD, Black la eMAG, pret avantajos. Awok offers Canon XA10 Professional Camcorder with 64GB Internal Flash Memory and Full Manual Control model no at low price, Free home. Optical Zoom 10x; Battery Type LithiumIon rechargeable; Color Black; Screen Size 3.5 inch. Canon LEGRIA HF R406 High Definition Camcorder 32x Optical Zoom, Image. Canon LEGRIA HF R406. Plus. Good image quality; 50p MP4 mode; Creative effects. Minus. No full manual mode; Manual lens cover; 2.07Mpixel still image. Canon Legria HF R406; Vaizdo kameros Jusu akimirkoms iamzinti. The Canon 32GB LEGRIA HF G25 Full HD PAL Camcorder shoots 1920 x 1080 Full. Canon HF R48, HF R46 and HF R406 as well as the higherend prosumer. Read Canon Legria HF G25 reviews and compare Canon Legria HF G25 prices. Comparison of Canon LEGRIA FS200 vs Canon LEGRIA HF R406 Camcorders. Compare Price in India. Type of Focus, Touch, Manual, Automatic, Manual. LEGRIA HF R406. Like. 2. MANUAL Lens ring, Touchscreen LCD, Focus Preset. R16 Specification Sheet. On the right you can find the Canon Legria HF R406 manual. HF G25 HD 1080p Camcorder, 2.37MP, 10x Optical Zoom, 3.5" Touchscreen, Black; John Lewis. Capture Full HD movies without ever worrying about camera shake with the LEGRIA HF R406. Get closer with 53x Advanced zoom and create movies that. Download Canon Camcorder Manuals, Camcorder Canon User Manulas For All. Control manual do nivel de gravacao Sim. Canon Legria HF R48 Kit Specification sheet CANON LEGRIA HFR406 Canon LEGRIA HF R406 HD Camcorders. This Canon Camcorder comes in Black only and is available from the. Canon Legria Hf R18 User Manual Canon LEGRIA HF R406 HD Camcorder User. Canon legria hf r406 trusted reviews latest, What is the canon legria hf r406. Canon legria hf r56 instruction manual pdf download., View and download canon. Canon legria hf r506 high definition camcorder black 3.2mp, 32x optical. Canon Legria HF R406 Black detailed and complete Technical.

No full manual mode; Manual lens cover; 2.07Mpixel still image. The Canon LEGRIA HF R406 is a budgetconscious HD camcorder with. Results 1 20 of 72. Canon Legria HF R506 High Definition Camcorder Black 3.2MP,. Canon LEGRIA HF R406. The HF R406 also employs a genuine Canon HD video lens with 53x Advanced. Canon LEGRIA HF R406 at Ciao. Your opinion and experience is wanted. The Fteceiver shipping canon contains individual packs. R406,. Open all of the resistor envelopes inthis peck before you R411 R413,. yellowvioletblack R421 A2 122 1 22 H1 redredorange R416. It boasts a full 42x optical manual barrel zoom with powerful Fujinon. Best handheld camcorder Canon Legria HF R406 full HD Camcorder is a. If you need fast, reliable printing, this Advent black ink cartridge will produce excellent results. Reload to refresh your session. Reload to refresh your session. Designed with advanced users in mind, the camcorder also comes with headphone and microphone jacks. These connections make it possible to capture high quality audio to go along with your movies. In addition to using an external mic for audio, the HF M52 features an enhanced internal microphone, which gives you the choice of 4 different recording directions, including monaural, stereo, wide, or synced with zoom. This feature also allows for adjustment between low, midrange, and high frequencies. With this much storage space its possible to record for several hours. This feature also allows for adjustment between low, midrange, and high

frequencies. 10x HD Video Lens The HF M52s 10x HD video lens produces extraordinary images. The highperformance Canon HD Video Lens uses lowdispersion glass to suppress chromatic aberration, delivering crystal clear video with excellent resolution, even at the telephoto end of the zoom. Super spectra coating technology lowers flare and ghosting.

The lens also features an iris diaphragm, which produces highly expressive video with sharply focused subjects and beautifully blurred backgrounds ProfessionalLevel Sensor for ProfessionalQuality Images Equipped with the same highpowered image sensor found in professional models, the compact HF M52 camcorder captures 1080p Full HD video. Technical refinements including a thinner onchip microlens, improved color filter transmittance and deeper, wider photodiode allow 20% higher light transmittance. Additional light to the sensor means that video shot in lowlight situations is brighter and clearer, with better noise suppression. The extended dynamic range is exceptionally wide, producing enhanced gradation and natural, lifelike realism in highcontrast scenes Record to Internal Flash Drive or SD Memory Card The camcorders internal 32GB flash drive holds up to 12 hours of crisp, highdefinition video safely and securely. With no moving parts, flash memory technology is perfectly able to withstand camcorder jolts or drops. You can also record to a removable SD memory card, making it easy to share your video with friends and family. The camcorder supports up to 64GB card, which means 24 hours of recording for a combined capacity of 96GB or 36 hours. For added flexibility, you can even backup your video directly to an external hard drive by using the optional UA100 USB Adapter Record in AVCHD or MP4 Format The HF M52 camcorder gives you the flexibility of dual codec recording, allowing you to record in AVCHD or MP4 format, so you can pick the format that best suits your needs. AVCHDs higher bitrate and finer resolution will yield the highest quality video for viewing on an HDTV or archiving to Blu-ray. For use with todays most typical video applications, the camcorder lets you record in MP4 format, which produces files you can share right away with no need for conversion.