




File Name: braun thermoscan 6023 manual espa ol.pdf

Size: 2413 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 23 May 2019, 19:23 PM

Rating: 4.6/5 from 653 votes.

Status: AVAILABLE

Last checked: 5 Minutes ago!

In order to read or download braun thermoscan 6023 manual espa ol ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with braun thermoscan 6023 manual espa ol . To get started finding braun thermoscan 6023 manual espa ol , you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

braun thermoscan 6023 manual espa ol

Te ayudaremos a encontrarlo y ahorraras tiempo. Por la experiencia de nuestros usuarios sabemos que muchos de vosotros no le habeis dado mucha importancia a este manual. Una gran parte de los manuales de instrucciones se tira a la basura junto con la caja tras su compra. Es un error. Familiarizate con la informacion acerca del manual Braun Thermoscan 6023 que te ayudara en el futuro a ahorrar nervios y dolores de cabeza. Solo entonces conseguiras la informacion basica acerca del mantenimiento del producto Braun Thermoscan 6023 en un buen estado de explotacion para que pueda sin problemas cumplir su ciclo de vida. Despues, puedes dejar las instrucciones en la estanteria y volver a cogerlas solamente cuando no estes seguro de realizar adecuadamente el mantenimiento del producto. Un mantenimiento apropiado es un elemento necesario para estar contento con Braun Thermoscan 6023. Una vez al ano mira en el armario en el que guardas los manuales de instrucciones de todos los dispositivos. Tira los que ya no utilizas. Esto te ayudara a mantener el orden en tu base de instrucciones casera. However, as with any thermometer, proper technique is critical to obtaining accurate temperatures. The following table shows that this normal range also varies by site. The following table shows normal ThermoScan ranges by age. You can be assured to have taken an accurate temperature reading. The result is shown on the display 5. It has to be clean and intact to ensure accurate readings. If the thermometer is ever accidentally used without a lens filter, clean the probe tip as follows Very gently wipe the surface with a cotton swab or soft cloth moistened with alcohol. Attach new, clean lens filter. The thermometer cannot identify a secure position of the probe. An accurate measurement was not possible. Insert new batteries. Battery is too low to take correct temperature readings. Do you have any further questions. Ostatykite naujus elementus. Uzlikt tru, jaunu filtru. <http://www.visionnegocios.com.br/admin/fckeditor/userfiles/craftsman-contractor-saw-manual.xml>

- **braun thermoscan 6023 manual espa ol, braun thermoscan 6023 manual espa ol latino, braun thermoscan 6023 manual espa ol 2017, braun thermoscan 6023 manual espa ol 50, braun thermoscan 6023 manual espa ol 2.**

Termometrs nevar parCdt pareizu zondes novietojumu. Ievietojiet jaunas baterijas. Tanu termomeetri kujule ei ole seda voimalik liiga sugavale kuulmekaiiku lukata ega sellega trummikilet vigastada. Jargnevast tabelist on naha, et normaalse temperatuurivahemik oleneb ka selle mootekohast. Kaitsekate IRT 4520 11. Te voite olla kindel, et saadud tulemus on tapne. Mootetulemus kuvatakse naidikul 5. Paigaldage uus puhas laatsefilter. Termomeeter ei suuda teha kindlaks mootepa oiget asendit. Tapne mootmine ei ole voimalik. Vahetage patareid valja. Patareid on oige mootetulemuse saamiseks liiga tuhjajad. Patareide vahetamine Termomeetriga on kaasas kaks 1,5 V AAtuupi LR 06 patareid. The following table shows that this normal range also varies by site. Jargnevast tabelist on naha, et normaalse temperatuurivahemik oleneb ka selle mootekohast. Si pasa algo inesperado durante el uso de Braun Thermoscan 6023, tendras todos los documentos necesarios para un arreglo en garantia. En esta parte del manual encontraras informacion acerca de puntos de servicio autorizados de Braun Thermoscan 6023 asi como las pistas de como mantener el equipo para no perder la garantia del producto. Aprovecha las pistas del fabricante Braun Thermoscan 6023 para poner el producto en marcha adecuadamente sin el innecesario riesgo de danar el equipo. Tambien podras averiguar que piezas o accesorios opcionales para Braun Thermoscan 6023 existen y puedes comprar para tu dispositivo. El 90% de los problemas con Braun Thermoscan 6023 se repiten para varios usuarios. Leela para utilizar Braun Thermoscan 6023 de

una manera optima y no gastar mas energia de la necesaria para un funcionamiento adecuado del producto. Sabras que funciones adicionales pueden ayudarte para utilizar Braun Thermoscan 6023 de una manera comoda y que funciones de tu dispositivo son optimas para realizar diferentes acciones.<http://koppeika.ru/userfiles/craftsman-convertible-jet-pump-manual.xml>

Vale la pena familiarizarse con el para evitar decepciones por culpa de un funcionamiento del producto Braun Thermoscan 6023 mas corto del esperado. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Braun Thermoscan 6023 owners to properly answer your question. Ask a question I have used C with good performance some years. No suddenly only F appears. How do I change again. Thank you and best regards. Thorsteinn I've replaced the batteries and they are inserted correctly. It worked intermittently the last few day but today nothing. Any advice Thanks Ive tried doing it with the device turned on but obviously that does not work either. Thank you. We have somehow changed the temp from C to F. Could you please advise how to change. I have a Braun Type 6023 Thermoscan. Thank you. Gillian This manual comes under the category Thermometers and has been rated by 21 people with an average of a 7.5. This manual is available in the following languages English. Do you have a question about the Braun Thermoscan 6023 or do you need help. Ask your question here Braun Thermoscan 6023 specifications Brand Is the device still safe to use Remove the battery with gloves and clean the battery compartment with a toothbrush and vinegar. After drying, new batteries can be inserted into the device.

ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we will assume that you are happy with it. Read more Ok.

The following table shows that this normal range also varies by site. Jargnevast tabelist on naha, et normaalne temperatuurivahemik oleneb ka selle mootekohast. September 2006 231 14. When the Braun ThermoScan is placed in the ear, it continuously monitors the infrared radiation. The measurement will be finished and the result is displayed, when an accurate reading can be assured. It is therefore important to determine your normal temperature range. This is easily done using Braun ThermoScan. Practice taking temperatures on yourself and healthy family members to determine their normal temperature ranges. Cap IRT 4020 How to use your Braun ThermoScan 1. To achieve accurate readings, make sure a new, clean lens filter 1 is in place before each measurement. The Braun ThermoScan ear thermometer turns off automatically after 60 seconds of inactivity. If the probe tip is damaged, contact Braun. Use a soft, dry cloth to clean the thermometer display and exterior. If at any time you question the accuracy of measurement, please contact Braun Infoline, phone see page 2. Manufacturing date is given by the LOT number located in the battery compartment. This guarantee does not cover damage due to improper use, normal wear or use as well as defects that have a negligible effect on the value or operation of the appliance. Estuche protector IRT 4520 11. Bolsa protectora IRT 4520 11. This is easily done using Braun ThermoScan. Practise taking temperatures on yourself and healthy family members to determine their normal temperature ranges. Then wait for the ready signal beep and the ready symbol in the display. Con Braun ThermoScan es muy facil. Giv en klar og omfattende beskrivelse af problemet og dit spørgsmål. Jo flere oplysninger du giver om dit problem og dit spørgsmål, jo lettere er det for andre Braun Thermoscan 6023 ejere at svare korrekt på dit spørgsmål.

<https://formations.fondationmironroyer.com/en/node/8926>

Stil et spørgsmål Jeg kan kun finde IRT 4520 og lignende Denne vejledning hører under kategorien Termometre og er blevet bedømt af 21 personer med et gennemsnit på en 7.5. Denne manual er

tilgjengelig på følgende språk Engelsk. Har du et spørsmål om Braun Thermoscan 6023 eller har du brug for hjælp Stil dit spørgsmål her Braun Thermoscan 6023 specifikationer Mrke Er enheden stadig sikker at brugeFjern batteriet med handsker, og rengør batterirummet med en tandborste og eddike. Efter tørring kan nye batterier sttes i enheden. PDFmanualer.dk sikrer, at du hurtigt kan finde den manual, du leder efter. Vores database indeholder mere end 1 million PDFmanualer fra mere end 10.000 mrker. Hver dag tilføjer vi de nyeste manualer, så du altid kan finde det produkt, du leder efter. Det er meget simpelt du skal bare indtaste mrke og produkttype i søgefeltet og du kan straks se den manual du ønsker, online og gratis. PDFmanualer. dk Hvis du fortstter med at bruge dette site vil vi antage at du er indforstået med det. Ls mere Ok. Zadaj pytanie tutaj. Podaj jasny i wyczerpujący opis problemu oraz pytanie. Im więcej szczegółów swojego problemu i pytania podasz, tym łatwiej będzie innym właścicielom Braun Thermoscan 6023 poprawnie odpowiedzieć na Twoje pytanie. Zadaj pytanie Czy dokonuje się kalibracji takiego termometru. Jeżeli tak czy jestem w stanie sama to zrobić, lub gdzie mogę wykonać taką usługę Pozdrawiam Ta instrukcja należy do kategorii Termometry i otrzymała oceny od 21 osób ze średnią 7.5. Ta instrukcja jest dostępna w następujących językach Angielski. Czy masz pytanie dotyczące Braun Thermoscan 6023 lub potrzebujesz pomocy. Zadaj pytanie tutaj Specyfikacje Braun Thermoscan 6023 Marka Czy korzystanie z urządzenia jest nadal bezpieczneWyjmij baterie w rękawiczkach i wyczyść komorę baterii szczoteczka do zębów i octem. Po wysuszeniu można włożyć do urządzenia nowe baterie. InstrukcjaObsługiPDF.pl zapewnia, że szybko znajdziesz instrukcje, której szukasz.

<http://nonogos.com/images/8665b-user-manual.pdf>

Nasza baza danych zawiera ponad milion instrukcji PDF od ponad 10 000 marek. Codziennie dodajemy najnowsze instrukcje, abyś zawsze znalazł produkt, którego szukasz. To bardzo proste po prostu wpisz nazwę marki i rodzaj produktu w pasku wyszukiwania, a od razu będziesz mógł przejrzeć instrukcje online za darmo. InstrukcjaObsługiPDF. pl Dalsze korzystanie ze strony oznacza, że zgadzasz się na ich użycie. Dowiedz się więcej Zamknij. Still spørsmålet ditt her. Gi en tydelig og omfattende beskrivelse av problemet og spørsmålet ditt. Jo mer detaljert du beskriver problemet og spørsmålet, desto lettere blir det for andre eiere av Braun Thermoscan 6023 å gi et godt svar på spørsmålet ditt. Still et spørsmål Om Braun Thermoscan 6023 Denne handboken er under kategorien Termometere og har blitt vurdert av 21 personer med et gjennomsnitt på 7.5. Denne handboken er tilgjengelig på følgende språk Engelsk. Har du et spørsmål om Braun Thermoscan 6023 eller trenger du hjelp. Still spørsmålet ditt her Spesifikasjoner for Braun Thermoscan 6023 Merke Er det fremdeles trygt å bruke enhetenFjern batteriet med hansker og rengjør batterirommet med en tannborste og eddik. Etter torking kan nye batterier settes inn i enheten. BruksanvisningPDF.no sørger for at du raskt vil finne manualen som du ser etter. Databasen vår inneholder over 1 million PDFmanualer fra over 10,000 merker. Vi legger til de nyeste manualene hver dag, slik at du alltid finner produktet som du ser etter. Det er veldig enkelt bare skriv merkenavnet og produkttypen i søkefeltet og du vil umiddelbart kunne se den manualen du ønsker online og gratis. BruksanvisningPDF. no. Take care that the positioning of the probe is correct and remains stable. Then, take a new temperature. September 2006 231 14 Downloaded from www.Manualslib.com manuals search engine Were committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, we'll investigate it and take the appropriate action.

<https://oknagoda.com/images/8663a-service-manual.pdf>

We'll get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. The manual is 9,11 mb in size. If you have not received an email, then probably have entered the wrong email address or your mailbox is too full. In addition, it may be that your ISP may have a maximum size for emails to receive. Check your email Please enter your email address. Neue Batterien und neue Schutzkappe.Beantwortet 30122014 at 1325 Wir

setzen uns dafür ein, derartige Missbrauchsfälle gemäß. Wenn Sie eine Meldung übermitteln, überprüfen wir Ihre Informationen und ergreifen entsprechende Maßnahmen. Wir melden uns nur dann wieder bei Ihnen, wenn wir weitere Einzelheiten wissen müssen oder weitere Informationen für Sie haben. Beachten Sie, dass E-Mail-Adressen und der vollständige Name nicht als private Informationen angesehen werden. Das Handbuch ist 9,11 MB groß. Wenn Sie keine E-Mail erhalten haben, haben Sie wahrscheinlich die falsche E-Mail-Adresse eingegeben oder Ihre Mailbox ist zu voll. Darüber hinaus kann es sein, dass Ihr ISP eine maximale Größe für E-Mails empfangen kann. Überprüfen Sie Ihre E-Mail. Geben Sie bitte Ihre E-Mail-Adresse ein. However, as with any thermometer, proper technique is critical to obtaining accurate temperatures. Therefore, read the use instructions carefully and thoroughly. Important The operating ambient temperature range for this thermometer is C F. This thermometer must only be used with genuine Braun ThermoScan Lens Filters LF 40. Never use this thermometer without a new, clean lens filter attached. Keep lens filters out of reach of children. This thermometer is intended for household use only. Use of this thermometer is not intended as a substitute for consultation with your physician. How does Braun ThermoScan work.

Braun ThermoScan measures the infrared heat generated by the eardrum and surrounding tissues. To avoid gross temperature differences, the sensor itself is brought to a temperature close to that of the human body. The measurement will be finished and the result is displayed, when an accurate reading can be assured. Why measure in the ear. The goal of thermometry is to measure core body temperature which is the temperature of the vital organs. Ear temperatures accurately reflect core body temperature, since the eardrum shares blood supply with the temperature control center in the brain, the hypothalamus. Therefore, changes in body temperature are reflected sooner and more accurately in the ear than at other sites. Axillary temperatures only measure skin temperature and therefore, are not a reliable indicator of core body temperature. Oral temperatures are influenced by drinking, eating and breathing. Rectal temperatures lag behind changes in core body temperature and there is a risk of crosscontamination. 4 5 Body temperature Normal body temperature is a range. Therefore, readings from different sites should not be directly compared. Normal ranges by site Axillary C F Oral C F Rectal C F ThermoScan C F As well, a person's normal temperature range tends to decrease with age. It is therefore important to determine your normal temperature range. Practice taking temperatures on yourself and healthy family members to determine their normal temperature ranges. Cap IRT 4020 How to use your Braun ThermoScan start 1. To achieve accurate readings, make sure a new, clean lens filter 1 is in place before each measurement. During an internal selfcheck, the display shows all segments. Wait for the ready signal. The Braun ThermoScan ear thermometer turns off automatically after 60 seconds of inactivity. Temperature taking hints The right ear reading may differ from the reading taken at the left ear. Therefore, always take the temperature in the same ear.

chocolatycakes.com/wp-content/plugins/formcraft/file-upload/server/content/files/16270cd7853f92---bounty-hunter-101-metal-detector-manual.pdf

The ear must be free from obstructions or excess earwax buildup to take an accurate reading. External factors may influence ear temperatures, including when an individual has been lying on one ear or the other had their ears covered been exposed to very hot or very cold temperatures, or been recently swimming or bathing. 7 8 In these cases, remove the individual from the situation and wait 20 minutes prior to taking a temperature. Use the untreated ear if prescription ear drops or other ear medications have been placed in the ear canal. Memory mode The last temperature taken is stored in its memory and will be automatically displayed when it is turned on again. IRT 4520 This model stores the last 8 temperature readings. To display the stored readings, the thermometer must be turned on. MEM 1 is the latest reading, MEM 8 would be the oldest. Changing the temperature scale Your Braun ThermoScan is shipped with the Celsius C temperature scale activated. There will

be a short beep to confirm the new setting, then the thermometer is turned off automatically. 8 9
Care and cleaning The probe tip is the most delicate part of the thermometer. After the alcohol has completely dried out, you can put a new lens filter on and measure. If the probe tip is damaged, contact Braun. Use a soft, dry cloth to clean the thermometer display and exterior. Do not use abrasive cleaners. Never submerge this thermometer in water or any other liquid. Store thermometer and lens filters in a dry location free from dust and contamination and away from direct sunlight. Additional lens filters LF 40 are available at most stores carrying Braun ThermoScan or at Braun Service Centers. 9 10 Troubleshooting Error message Situation Solution No lens filter is attached. Allow the thermometer to remain in a room for 30 minutes where the temperature is between 10 and 40 C or 50 and 104 F. Temperature taken is not within typical human temperature range C or F.

If error persists, If error still persists, Wait 1 minute until the thermometer turns off automatically, then turn on again. Insert new batteries. Do you have any further questions. Call Braun Infoline, please see page 2. 2 ThermoScan Replacing the batteries The thermometer is supplied with two 1.5 V type AA LR 06. For best performance, we recommend Duracell alkaline batteries. Insert new batteries when the battery symbol appears on the display. 1 Open the battery compartment. Remove the batteries and replace with new batteries, making sure the poles are in the right direction. Slide battery door back until it snaps in place. To protect the environment, dispose of empty batteries at your retail store or at appropriate collection sites according to national or local regulations. Calibration The thermometer is initially calibrated at the time of manufacture. If this thermometer is used according to the use instructions, periodic readjustment is not required. If at any time you question the accuracy of measurement, please contact Braun Infoline, phone see page 2. Manufacturing date is given by the LOT number located in the battery compartment. The first number after LOT represents the last digit of the year of manufacture. The next three digits give the day of the year of manufacture. MEDICAL ELECTRICAL EQUIPMENT needs special precautions regarding EMC. For detailed description of EMC requirements please contact the Braun Infoline see page 2. Portable and mobile RF communications equipment can affect MEDICAL ELECTRICAL EQUIPMENT. Please do not dispose of the product in the household waste at the end of its useful life. Disposal can take place at a Braun Service Centre or at appropriate collection points provided in your country Guarantee We grant 2 years guarantee on the product commencing on the date of purchase.

Within the guarantee period we will eliminate, free of charge, any defects in the appliance resulting from faults in materials or workmanship, either by repairing or replacing the complete appliance as we may choose. This guarantee extends to every country where this appliance is supplied by Braun or its appointed distributor. This guarantee does not cover damage due to improper use, normal wear or use as well as defects that have a negligible effect on the value or operation of the appliance. The guarantee becomes void if repairs are undertaken by unauthorised persons and if original Braun parts are not used. To obtain service within the guarantee period, hand in or send the complete appliance with your sales receipt to an authorised Braun Customer Service Centre. Attendez le signal de mise en route. Fixez un nouvel embout jetable propre. Mettez de nouvelles piles. Pour une performance optimale, nous recommandons les piles Duracell. Ouvrez le compartiment des piles. Remettez en place le couvercle des piles en le faisant glisser. Por tanto, recomendamos leer detenidamente las instrucciones de uso. Para evitar diferencias de temperatura importantes, el mismo sensor esta llevado a una temperatura cercana a la del cuerpo humano. La temperatura axilar indica solamente la temperatura en la piel y, por tanto, no es un indicador fiable de la temperatura central del cuerpo. En consecuencia, las mediciones en diferentes partes no deben compararse directamente. La siguiente tabla indica los rangos normales de ThermoScan para cada edad. Estuche protector IRT 4520 11. El resultado aparece en la pantalla 5. De este modo, puede estar seguro de obtener una temperatura fiable. En estos casos, es necesario esperar 20

minutos antes de tomar la temperatura. IRT 4520 Este modelo almacena las 8 ultimas temperaturas tomadas. Para garantizar mediciones precisas, tiene que estar limpia e intacta. Tome de nuevo la temperatura. Las pilas se han agotado. Sustituye las pilas por otras nuevas.

Tiene alguna otra pregunta. Para un mejor rendimiento, recomendamos las pilas alcalinas Duracell. Deslice la tapa del compartimiento de pilas hasta que encaje en su sitio. No tire las baterias agotadas a la basura. Como funciona o Braun ThermoScan. Temperatura do corpo A temperatura normal do corpo varia dentro de certos limites. Please take time to identify the hardware as well as the individual components of the product. As you unpack and prepare for assembly, place the Please read the following operation information to ensure the proper function of your new scale. HOW TO WEIGH 1. Press the POWER key. All display Please take time to identify the hardware as well as the individual components of the product. Please take time to identify the hardware as well as the individual components of the product. As you unpack and prepare for assembly, place the LR03 or AAA batteries only. LR03 or AAA batteries only Battery cover Used batteries New batteries 2 Optional Set the Builtin TrayLess SATA Backplane Module Please take time to identify the hardware as well as the individual components of the product. As you unpack and prepare for assembly, place the An increase in temperature, called a fever, may be a sign of infection. The common scale used to measure body temperature Regularly check the cord, the transformer and all other parts for damage. If any part is damaged the product should not be used. Important Faroles LED retractiles. Espanol.7 This is an important cost saving This precision stateoftheart measuring Enjoy it and embrace your INFINITE PASSION. Please take time to identify the hardware as well as the individual components of the product. It is important that you read the entire manual to become familiar with the unit To connect the keyboard to Connect your IOS or Android device to your 2.4GHz WiFi network. Please take time to identify the hardware as well as the individual components of the product.

An increase in temperature, called a fever, may be a sign of infection. The common scale used to measure body temperature Please take time to identify the hardware as well as the individual components of the product. This is an important cost saving Please read carefully the assembly instructions before the installation. Please save this manual for future reference. Que suministros necesito La primera vez que se enciende funciona You should answer Question One Programming your safe WARNING! Disconnect El fabricante garantiza que este producto no presentara defectos de fabricacion en el material ni en la mano de obra. Esta garantia Make sure you and your family know the answers to these questions before you go home from the hospital. Medicines Am I taking Ingenieria industrial Spanish Edition WARNING! Disconnect Test yourself on just these flashcards Keep your assembly manual Before using the machine, please read this user manual carefully Hang out of reach of young children. Regularly check the cord, the transformer and all other parts for damage. If any part is damaged the product should not be used. Important Please take time to identify the hardware as well as the individual components of the product. To use this website, you must agree to our Privacy Policy, including cookie policy.

<http://www.raumboerse-luzern.ch/mieten/4-1-environment-meter-manual>